

APPROVED

By Andrew Buege at 10:58 am, Feb 06, 2020

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **SANITIZATION** - Remove all gross food particles and soil from areas which are to be sanitized with a good detergent, pre-flush, pre-soak or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200-400 ppm active quaternary solution by using the following dilution: In order to make 1 gallon of solution, add 0.0625-0.125 ozs. or 1.8-3.6 grams of **SANI-TABS** or ONE-TWO 0.0625 oz. Tablet(s). To sanitize immobile items such as tanks and counter tops, apply sufficient use-solution by low pressure coarse sprayer, hand pump trigger sprayer, mop, sponge or cloth to flood the area with a 200-400 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent. To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200-400 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent. When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200-400 ppm. **NO POTABLE WATER RINSE IS ALLOWED. SANI-TABS** is an effective sanitizer when diluted in water up to 650 ppm hardness (CaCO₃). **TABLETS:** Follow label dilution instructions by dropping tablet directly into water. Do not remove tablets from container before use.

DIRECTIONS FOR USE

U.S. PUBLIC HEALTH SERVICE - FOOD SERVICE SANITIZATION RECOMMENDATIONS: **CLEANING AND SANITIZING:** Equipment and utensils shall be thoroughly pre-flushed or pre-scraped, and when necessary, pre-soaked to remove gross food particles and soil.

1. Thoroughly wash equipment and utensils in a hot detergent solution. Rinse utensils and equipment thoroughly with potable water.

2. Sanitize equipment and utensils by immersing in 0.3125-0.625 ounces of **SANI-TABS** per 5 gallons (or equivalent dilution) of water (200-400 ppm active quaternary) for at least 60 seconds at a temperature of 75°F. This dilution is equivalent to a solution containing 50 ppm available chlorine.

3. Allow sanitized surfaces to drain and air dry. Do not rinse.

4. For equipment and utensils too large to sanitize by immersion, apply 0.3125-0.625 ounces of **SANI-TABS** per 5 gallons of water (or equivalent dilution) (200-400 ppm active quaternary) by rinsing, spraying or swabbing. Allow the items to remain thoroughly wet for at least 60 seconds, then let air dry. Do not rinse.

DIAMOND SANI-TABS

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	20.0%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	20.0%
INERT INGREDIENTS	60.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See side panel for additional precautionary statements.

EPA REG. NO.
1839-142-4238

Net Contents: 0.0625 Ounce
(1.8 gram) per tablet.
100 TABLETS (6.25 oz)

EPA EST. NO.
3522-AZ-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. May be fatal if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Store in a tightly closed container in an area inaccessible to children.

Store in a cool dry place. Do not handle tablets with wet hands.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

DISTRIBUTED BY:



**DIAMOND
CHEMICAL
COMPANY
INC.**

Union Ave & DuBois Street East Rutherford, NJ 07073 • 201-935-4300



7 65574 16250 8

©2018 Diamond Chemical Co., Inc.

MARKETING CLAIMS

- Hard non-porous food contact surface sanitizer. • Kills 99.999% of bacteria in 60 seconds. • Antibacterial.
- Eliminates odors caused by bacteria and spoiled foods. • **SANI-TABS** is a no rinse cleaner that sanitizes in one easy step. • Formulated as an effective sanitizer. • **SANI-TABS** tablets are designed specifically for use in restaurants, dairies, and bars where sanitization of food contact surfaces is of prime importance.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
SANITIZATION - Remove all gross food particles and soil from areas which are to be sanitized with a good detergent, pre-flush, pre-soak or pre-scrape treatment. Rinse with a potable water rinse. To sanitize pre-cleaned and potable water-rinsed, non-porous, food contact surfaces, prepare a 200-400 ppm active quaternary solution by using the following dilution:

In order to make 1 gallon of solution, add 0.0625-0.125 ozs. or 1.8-3.6 grams of **SANI-TABS** or ONE-TWO 0.0625 oz. Tablet(s). To sanitize immobile items such as tanks and counter tops, apply sufficient use-solution by low pressure coarse sprayer, hand pump trigger sprayer, mop, sponge or cloth to flood the area with a 200-400 ppm active quaternary solution for at least 60 seconds making sure to wet all surfaces completely. Drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent. To sanitize mobile items such as drinking glasses and eating utensils, immerse in a 200-400 ppm active quaternary solution for at least 60 seconds making sure to immerse completely. Remove, drain the use-solution from the surface and air dry. Prepare a fresh use-solution daily or more frequently as soil is apparent.

When used for sanitization of previously cleaned food equipment or food contact items, limit the active quaternary to 200-400 ppm. **NO POTABLE WATER RINSE IS ALLOWED. SANI-TABS** is an effective sanitizer when diluted in water up to 650 ppm hardness (CaCO₃).

TABLETS: Follow label dilution instructions by dropping tablet directly into water. Do not remove tablets from container before use.

U.S. PUBLIC HEALTH SERVICE - FOOD SERVICE SANITIZATION RECOMMENDATIONS:

CLEANING AND SANITIZING: Equipment and utensils shall be thoroughly pre-flushed or pre-scraped, and when necessary, pre-soaked to remove gross food particles and soil.

1. Thoroughly wash equipment and utensils in a hot detergent solution. Rinse utensils and equipment thoroughly with potable water.

2. Sanitize equipment and utensils by immersing in 0.3125-0.625 ounces of **SANI-TABS** per 5 gallons (or equivalent dilution) of water (200-400 ppm active quaternary) for at least 60 seconds at a temperature of 75°F. This dilution is equivalent to a solution containing 50 ppm available chlorine.

3. Allow sanitized surfaces to drain and air dry. Do not rinse.

4. For equipment and utensils too large to sanitize by immersion, apply 0.3125-0.625 ounces of **SANI-TABS** per 5 gallons of water (or equivalent dilution) (200-400 ppm active quaternary) by rinsing, spraying or swabbing. Allow the items to remain thoroughly wet for at least 60 seconds, then let air dry. Do not rinse.

DIAMOND SANI-TABS

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	20.0%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides	20.0%
	60.0%
INERT INGREDIENTS	100.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. See side panel for additional precautionary statements.

EPA REG. NO.
1839-142-4238

Net Contents: 0.0625 Ounce
(1.8 gram) per tablet.
100 TABLETS (6.25 oz)

EPA EST. NO.
3522-AZ-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. May be fatal if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Store in a tightly closed container in an area inaccessible to children.

Store in a cool dry place. Do not handle tablets with wet hands.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

DISTRIBUTED BY:



**DIAMOND
CHEMICAL
COMPANY
INC.**

Union Ave & DuBois Street East Rutherford, NJ 07073 • 201-935-4300



©2018 Diamond Chemical Co., Inc.